




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G06C 27/00, 3/00</b>	<b>A1</b>	(11) International Publication Number: <b>WO 97/33214</b> (43) International Publication Date: 12 September 1997 (12.09.97)
<p>(21) International Application Number: PCT/US97/04127</p> <p>(22) International Filing Date: 6 March 1997 (06.03.97)</p> <p>(30) Priority Data: 60/012,956 6 March 1996 (06.03.96) US</p> <p>(71)(72) Applicant and Inventor: ROTTEM, Shraga [IL/US]; 69-40 Fleet Street, Forest Hills, NY 11375 (US).</p> <p>(74) Agents: FISHMAN, Irving, M. et al.; Trademark &amp; Patent Counselors of America, P.C., 19th floor, 915 Broadway, New York, NY 10010 (US).</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	

(54) Title: FETO-MATERNAL CALENDAR CALCULATOR



## (57) Abstract

A fetal-maternal calendar calculator (10) provides for calculating the gestational age of a fetus from the calendar date of the mother's last menstrual cycle. Using the calculated gestational age, the user of the calendar calculator may determine appropriate growth of fetal organs, determine the earliest time for detection of fetal anomalies, establish periods of risk to the fetus from drugs used by the mother, determine the appropriate times for testing for fetal anomalies, genetic abnormalities, or other fetal biochemical milestones. The calendar calculator of the present invention is designed for ease of use and for providing information previously unavailable to obstetricians and diagnostic technicians.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CJ	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam



**FETO-MATERNAL CALENDAR CALCULATOR****SHRAGA ROTTEM**

This application claims the benefit of prior filed U.S. provisional application Serial No. 60/012,956, filed on March 6, 1996.

5           A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent disclosure, as it appears in the files or records of the U.S. Patent and Trademark Office, or the patent offices of any country, but otherwise reserves all copyright rights whatsoever.

10       Background of the Invention

This invention relates to a feto-maternal calendar calculator for calculating times for detection of fetal organs and fetal anomalies, as well as other prenatal tests and conditions, utilizing ultrasonogram or other diagnostic aids.

15           In accordance with the invention, the feto-maternal calendar calculator incorporates one or more charts with time-oriented tests, conditions, and development data, starting with 0 (zero) weeks and 0 (zero) days from the last menstrual period and ending with 40 (forty) weeks and 0 (zero) days menstrual age, and a calendar encompassing forty (40) weeks and 0 (zero) days of menstrual age.

The feto-maternal calendar calculator is preferably relatively portable.

20           The feto-maternal calendar calculator is preferably used to determine the length of the gestation in weeks and days from the last menstrual period, and to aid in the scheduling and interpretation of feto-maternal tests accordingly.

25           The calendar calculator may include times for detecting the appearance of fetal organs and structures, fetal anomalies, normal and abnormal levels of substances in the amniotic fluid, umbilical cord, and uterus, normal and abnormal levels of substances in maternal urine and serum, genetic abnormalities in the fetus, and tests on any other feto-maternal compartments, related or not related to paternal genetic information.

The calendar calculator can present an assembly of charts according to any fetal



menstrual age.

The invention is especially suitable for the following:

1. Guiding the user when to look for the ultrasonographic detection of one or more fetal organs and the development of such organs.
- 5 2. Guiding the user when to look for the ultrasonographic detection of one or more fetal anomalies.
3. Guiding the user as to the significance of the ultrasonogram and other tests. in the amniotic fluid, umbilical cord, uterus, maternal serum, urine and other feto-maternal compartments, all in relation to the menstrual age.
- 10 4. Guiding the user when to schedule feto-maternal tests.

#### Summary of the Invention

A feto-maternal calendar calculator is provided, whereby the gestational age of a fetus is calculated from the calendar date of the mother's last menstrual cycle. Using the calculated gestational age, the user of the calendar calculator may determine appropriate growth of fetal organs, determine the earliest time for detection of fetal anomalies, establish  
15 periods of risk to the fetus from drugs used by the mother, determine the appropriate times for testing for fetal anomalies, genetic abnormalities, or other fetal biochemical milestones. The calendar calculator of the present invention is designed for ease of use and for providing information previously unavailable to, or not conveniently accessible by, obstetricians and  
20 diagnostic technicians.

While the ultrasonogram is presently used as a primary diagnostic tool for prenatal testing, the calendar calculator may be used for other diagnostic tools, such as amniocentesis, chorionic villi sampling, and blood tests.

The feto-maternal calendar calculator is for multipurpose use throughout pregnancy.

#### Brief Drawing Description

Figure 1 is a top plan view of the feto-maternal calendar calculator of the present invention.

Figure 2 is a bottom plan view of the feto-maternal calendar calculator of Figure 1.

Figure 3 is an enlarged view of the fetal organ chart 32 of Figure 1.

30 Figure 4 is an enlarged view of the fetal anomaly chart 65 of Figure 2.



Figure 5 is a top view of the fetal organ chart 132 shown in a circular chart format.

Figure 6 is a top view of the fetal anomaly chart 165 shown in a circular chart format.

#### Detailed Description

5           One embodiment of the feto-maternal calendar calculator 10 comprises a flat rectangular card 14 having flat top and bottom surfaces 17, 20. The card 14 is formed of a suitable material on which printing or labels may be applied on top and bottom surfaces 17, 20 thereof.

10           The calendar calculator 10 also includes a gestation calculator 23. Gestational calendars, such as gestational calendar 23 are known in the art. Gestational calculator 23 includes a gestation period disk 26 rotatably connected at the center thereof to the top surface of card 14 by a hub 29. The disk 26 thereby overlays a portion of top surface 17, where top surface 17 allows space for a fetal organ chart 32, described hereinbelow. Disk 26 has an upper surface 35 on which are printed equally-spaced radial indicia 38 adjacent to the outer  
15           edge 41 of disk 26. Each indicia 38 represents a gestation period of one week. One of the indicia 38a is labelled "FIRST DAY OF LAST PERIOD", the 28th indicia from indicia 38a is labelled "VIABILITY" and the 40th indicia from indicia 38a is labelled "TERM". These labels each represent events which normally occur at the weeks of a pregnancy represented by the corresponding indicia.

20           Gestation calculator 23 further includes an annular calendar 44 printed on top surface 17 adjacent to and concentric with gestational period disk 26. It is also possible for annular calendar 44 to be printed on an outer disk (not shown) which is in turn fixed to top surface 17. In such an alternative arrangement, gestational period disk 26 would be concentric with the outer disk and rotatably connected at its center to the center of the outer disk. The  
25           gestational period disk 26 may also be rotatably connected to card 14 in a manner similar to that shown in Figure 1.

30           The annular calendar 44 is defined by an inner edge 47 concentric with outer edge 41 and adjacent thereto. The annular calendar 44 further includes equally spaced radial indicia 50 printed on top surface 17 adjacent to inner edge 47 where each indicia 50 represents a day of a calendar year as shown in Figure 1.

The gestation calculator 23 may be used to calculate, for a given calendar date, how



many weeks of the pregnancy have transpired by rotating gestation period disk 26 so that the indicia 38a labelled "FIRST DAY OF LAST PERIOD" points to the indicia 50 contained in annular calendar 44 representing the actual date of the first day the women's last period. After disk 26 is so positioned, the indicia 50 within annular calendar 44 representing the current date is identified. Indicia 50 within annular calendar 44 representing the current date will have pointing thereto an indicia 38 on disk 26 representing the number of weeks elapsed since the pregnancy began.

In one embodiment, fetal organ chart 32 is printed on top surface 17, preferably adjacent to gestation calculator 23, as shown in Figure 1. The fetal organ chart 32 may alternatively be printed on a label which is affixed to top surface 17. If the size of fetal organ chart 32 requires a substantial area of top surface 17, card 14 may be scored, grooved or otherwise dented to define creases about which card 14 may be folded when not in use to make the calendar calculator 10 more compact. Card 14 may have more than one such crease so that folding and unfolding the card resembles an accordion.

Fetal organ chart 32 includes an ordinate 53 along which are printed numerals 56 increasing in magnitude in the upward direction as viewed in Figure 1. Each numeral 56 represents the week into the pregnancy of a woman such that the greater the distance of a point on ordinate 53 from the bottom thereof, as viewed in Figure 1, the longer the duration of the pregnancy. Fetal organ chart 32 also has a series of columns 59 each containing a system grouping its related organs 62 of a fetus. The names of the organs 62 are printed at the elevation of ordinate 53, as viewed in Figure 1, representing the week into the pregnancy when the respective organ is expected to be first observable. The data regarding observability of the organs is determined from a statistically significant portion of the population via ultrasonography or other tests.

Fetal organ chart 32 may be used by locating the elevation along ordinate 53 corresponding to the current duration of a woman's pregnancy, hereinafter referred to as the organ reference elevation. The names of organs 62 contained in the various columns 59 which are positioned at the same or a lower elevation relative to the organ reference elevation will ordinarily be visible via a sonogram taken during the week into the pregnancy represented by the organ reference elevation.

Fetal anomaly chart 65 is shown in Figure 2 located on the bottom surface 20 of card 14. Fetal anomaly chart 65 may alternatively be printed on a label affixed to bottom surface



20. Fetal anomaly chart 65 includes an ordinate 68 along which are printed numerals 71 increasing in magnitude in the upward direction as viewed in Figure 2. Each numeral 71 represents the week into the pregnancy of a woman such that the greater the distance of a point on ordinate 68 from the bottom thereof, the longer the duration of the pregnancy. Fetal anomaly chart 65 has generally the same vertical orientation as fetal organ chart 32 such that the respective tops thereof are adjacent to the same edges of card 14. Fetal anomaly chart 65 also has a series of columns 74 each identifying an anatomical system, grouping its related anomalies 77 which may be present in a fetus. The names of the anomalies 77 are printed at the elevation of ordinate 68, as viewed in Figure 1, representing the week into the pregnancy of a woman when the respective anomaly may be first observable via a sonogram.

Fetal anomaly chart 65 may be used by locating the elevation along ordinate 68 corresponding to the current duration of a woman's pregnancy, hereinafter referred to as the anomaly reference elevation. The names of the anomalies 77 contained in the various columns 74 which are positioned at the same or a lower elevation relative to the anomaly reference elevation will ordinarily be visible via a sonogram taken during the week into the pregnancy represented by the anomaly reference elevation.

In use, gestation period disk 26 of the gestation calculator 23 is rotated as described above to determine the current week into a woman's pregnancy. Next, the elevation of the ordinate 53 of fetal organ chart 32 corresponding to the week calculated by gestation calculator 23 is identified in fetal organ chart 32, i.e., the organ reference elevation. Locating fetal organ chart 32 adjacent to the gestation calculator 23 results in ordinate 53 being adjacent to gestation calculator 23 thereby facilitating movement of the user's eyes from calculator 23 to chart 32. After identifying the organ reference elevation, the organs which are normally visible via a sonogram at the calculated duration of the pregnancy may be determined. The card 14 may then be flipped over to view fetal anomaly chart 65 on bottom surface 20. The elevation of ordinate 68 of fetal anomaly chart 65 corresponding to the week calculated by gestation calculator 23 is identified in the fetal anomaly chart, i.e., the anomaly reference elevation. After identifying the anomaly reference elevation, the anomalies which are normally visible via a sonogram at the calculated moment of the pregnancy may be determined. Identification of organs and anomalies in a sonogram during the taking of the sonogram, i.e., in "real time" is thereby facilitated.

The calendar calculator 10 may also include an elongate guide structure (not shown),



such as a straightedge or ruler, having at least one flat surface for overlaying the regions of top and bottom surfaces 17, 20 containing fetal organ and anomaly charts 32, 65. The guide structures overlay respective charts 32, 65 in generally perpendicular orientations relative to respective ordinates 53, 68. The guide structures are movable relative to top and bottom surfaces 17, 20 in at least the direction parallel to respective ordinates 53, 68. An example of connecting the guide structure to card 14 enabling such movement is one or more pins (not shown) extending from the guide structure into corresponding slots (not shown) formed in card 14 where the slots are parallel to respective ordinates 53, 68. Other configurations for connecting the guide to card 14 are possible.

In use such guide structure is positioned so the lower edge thereof coincides with the reference elevation along respective ordinates 53, 68 corresponding to the week calculated by gestation calculator 23. The guide structure is thereby positioned above the fetal organs and/or anomalies 62, 77 which are normally visible via a sonogram after the number of weeks calculated by the gestation calculator 23. Identification of the portions of fetal organ and anomaly charts 32, 65 below the reference elevation, corresponding to the week calculated by gestation calculator 23, is thereby possible without referring back to the numerals 56, 71 adjacent to ordinates 53, 68 which may in turn require remembering the week calculated by gestation calculator 23 or referring back thereto. Efficiency and ease of examining fetal organ and anomaly charts 32, 65 may thereby be improved. The portions of charts 32, 65 below the reference elevation, corresponding to the week calculated by gestation calculator 23, is typically of interest to the examining physician since these portions of charts 32, 65 contain organs and anomalies 62, 77 which if present are normally visible via a sonogram. The guide structure may be opaque, have windows or be completely transparent.

The guide structures may be movable by applying a force directly thereto, e.g., by hand, in the desired direction of movement of the guide structure. The force may be applied through a mechanical linkage with gestation period disk 26 such that rotation of disk 26 will produce concomitant movement of the guide structure. Such a linkage may be calibrated to automatically position either or both guide structures so that the lower edges thereof coincide with the week into the pregnancy calculated by gestation calculator 23.

An alternative embodiment of the calendar calculator 10 includes a radial window (not shown) formed in gestation period disk 26 and information on fetal development printed on



portions of top surface 17 overlain by disk 26. This information on fetal development is positioned on gestation period disk 26 such that when disk 26 is rotatably positioned to calculate the current week into a woman's pregnancy, fetal information corresponding to the calculated week into the pregnancy is displayed through the window of disk 26. When the information obtainable thereby displayed contains the data of fetal organ and anomaly charts 32, 65, the content of charts 32, 65 thereof may be reduced, or, possibly, one or both charts 32, 65 eliminated entirely. Reductions in the content of charts 32, 65 may reduce the required size of card 14 allowing card 14 to be circular and concentric with gestation period disk 26.

In a still further alternative embodiment, calendar calculator 10 may include charts and/or nomograms of other feto/maternal tests other than the ultrasonography described above in connection with fetal organ and anomaly charts 32, 65.

In another embodiment, the calendar calculator 10 may include circular charts, such as those shown in Figures 5 and 6 as fetal organ and anomaly charts 132, 165. These charts may operate in conjunction with or independent from the gestational period disk 26. Fetal organ chart 132 includes circles 153 upon which are printed numerals 156, representing weeks of the pregnancy, where the value of numerals 156 increases in magnitude in a direction along a radius of the circle formed by the chart 132. Fetal organ chart 132 also has a series of wedges 159 each containing a system grouping related organs of a fetus. The names of the organs are printed at the radial distance of circles 153, representing the week into the pregnancy when the respective organ is expected to be first observable.

Fetal anomaly chart 165 includes circles 168 upon which are printed numerals 171, representing weeks of the pregnancy, where the value of numerals 171 increases in magnitude in a direction along a radius of the circle formed by the chart. Fetal anomaly chart 165 has generally the same orientation as fetal organ chart 132 such that the charts may be overlaid. Fetal anomaly chart 165 also has a series of wedges 174 each identifying an anatomical system, grouping related anomalies which may be present in a fetus. The names of the anomalies are printed at the radial distance of circles 168, representing the week into the pregnancy of a woman when the respective anomaly may be first observable.

As an additional feature, movable guides (not shown) may be affixed to the circular charts, where such guides selectively reveal and cover organ names 162 or anomaly names 177, allowing the user of the invention to focus easily on the relevant data. One embodiment



of the guide would be rotatably affixed at the center of the circular charts.

5       The calendar calculator 10 may have a plurality of rotatable disks 26 rotatably connected to card 14, or to each other, where each rotatable disk provides fetomaternal information as described above. Card 14, with one or more disks 26 attached, may be creased between the disks so that card 14 may be folded in the manner of an accordion to a closed position where the disks become sandwiched between sections of card 14. Alternatively, more than one such rotatable disk may be attached to separated sections of card 14 where the ends of the cards are rotatably connected as at tab 180 such that the cards open in the manner of a fan.

10       In another embodiment, the calendar calculator may be implemented in software, where such software may operate independent from, or in conjunction with, diagnostic aids.

15       It will be appreciated that the above is merely illustrative of a few embodiments, and that modifications of detail or assembly such as inner and outer charts/discs rotatably connected or back to back operated, or disclosing windows of fetomaternal information, or ruler format or any other formats, can be made without departing from the scope and principles of the invention.

20       While certain novel features of this invention have been shown and described, it will be understood that various omissions, substitutions and changes in the forms and details of the device illustrated and in its operation can be made by those skilled in the art without departing from the spirit of the invention.



## CLAIMS

1. A feto-maternal calendar calculator comprising:  
a gestational age calculator for calculating a fetal gestational age;  
a first data set comprising at least one of fetal organ appearance data, fetal anomaly  
5 appearance data, maternal drug intake interaction data, genetic abnormality data, and  
fetal biochemical data, said data set being indexed by gestational age; and  
means for viewing a subset of the first data set, which subset comprises a range of  
preselected gestational ages, where the calculated fetal gestational age falls between  
the preselected gestational ages.
- 10 2. The calendar calculator of claim 1 wherein the first data set is further indexed by at  
least one of fetal organ systems and fetal maternal compartments.
3. The calendar calculator of claim 1 further comprising means for correlating the fetal  
gestational age with the first data set to produce a second, time-oriented data set, where such  
second data set is a subset of the first data set.
- 15 4. The calendar calculator of claim 1 wherein the subset of the data set is limited to a  
class of information selected from at least one of a fetal organ system and a fetal maternal  
compartment.
5. The calendar calculator of claim 1 wherein said gestational age calculator is an analog  
calculator, and said fetal organ data and said fetal anomaly data are charts correlating  
20 gestational age with fetal organ appearance and fetal anomaly appearance respectively.
6. The calendar calculator of claim 5 wherein  
each of said charts is printed on or affixed to a first substrate;  
said gestational age calculator is printed on or affixed to a second substrate having  
movable portions permitting alignment of a first day of a pregnant female's last  
25 menstrual period with an actual calendar date on which said first day occurred and  
showing thereby a gestational age of a fetus on any calendar date of interest; and  
said gestational age calculator being affixed to a surface of said first substrate.



7. The calendar calculator of claim 1 wherein  
said gestational age calculator is a circular gestational age calculator affixed to a  
substrate; and  
said data set is displayed on a circular chart.
- 5 8. The calendar calculator of claim 7 further comprising  
a plurality of data sets displayed on circular charts, wherein each of said gestational  
age calculator and said circular charts is affixed to different portions of a single  
substrate, which substrate is capable of being folded with said gestational age  
calculator and said circular charts attached so that the calendar calculator may be  
10 carried in a pocket.
9. The calendar calculator of claim 7 wherein each of said gestational age calculator and  
said circular charts further comprise a tab on at least one portion of the circumference  
thereof, and each of said gestational age calculator and said circular charts are movably  
connected to at least one of the others at a point on said tabs, such that when moved into a  
15 closed position the gestational calculator and said circular charts have a compact appearance.
10. The calendar calculator of claim 9 wherein, when fully opened, the gestational  
calculator and said circular charts are capable of being viewed simultaneously, giving the  
appearance of disks in a fan shape or as a chain of disks or a combination thereof.
11. A method of determining appropriate diagnostic tests to perform on a pregnant female  
20 and on a developing fetus comprising:  
obtaining a calendar date on which said pregnant female had a first day of her last  
menstrual period before becoming pregnant;  
entering said calendar date into a feto-maternal calendar calculator;  
obtaining an output of a gestational age of said fetus on a given date and at least  
25 one of  
fetal organs detectable by a diagnostic technique on or about a given date;  
fetal abnormalities detectable by a diagnostic technique on or about a given  
date, if such abnormality were then present;



maternal drug intake interactions with the fetus on or about a given date;  
genetic abnormalities detectable by a diagnostic technique on or about a given  
date, if such abnormality were then present; and  
fetal biochemical data detectable by a diagnostic technique on or about a given  
date.

5

12. The method of claim 11, wherein the given date is the calendar date.


13. A feto-maternal calendar calculator comprising

a circular substrate having two sides;

a gestational calculator affixed to one side of the circular substrate; and

10 a circular chart on the opposite side of the circular substrate, where the circular chart  
comprises a data set comprising at least one of fetal organ appearance data, fetal  
anomaly appearance data, maternal drug intake interaction data, genetic abnormality  
data, and fetal biochemical data, said data set being indexed by gestational age.










FIG. 2



3 / 5

OBSERVATIONS ON THE ULTRASONOGRAPHICALLY  
STATISTICALLY SIGNIFICANT DETECTION OF FETAL  
ORGANS(0-40 WEEKS, MENSTRUAL AGE)

	CNS	CARD/VASC THORAX	URINARY ADRENAL GENIT	G.I. SYST ABD. WALL	SKELETON	NOSE EAR/FACE EYE/NECK	OTHERS	
40 Wks								40 Wks
16				Gallbladder				16
15			Adrenal Gland		62			15
14		Tracheo	Sex(F)					14
13			Sex(M)	Esophagus				13
		Pulmonary Art. Four Ch. View AV Valves	Renal Pelvis	Bowels	Ulna Fibula Tibia Radius Ribs			
12		Carotid Art. Brachiceph Art. Lungs	Urin. Bladder Kidneys		Toes Clavicle Femur Fingers	Lens Ears Jaws Nose		12
	Willis Circle Thalamus Cerebellum					NeckOutline		
11	Cist. Magna Cereb. Hemisph.	Ventr. Sept. Rt. Ventr. Wall Lt. Ventr. Wall		Stomach Diaph. Area		Orbits	Genit. Tuberc.	11
10				Liver				10
	Falx			Cord Insert.				
56	9 Spinal Med. Mesenceph. Chor. Plex	Aorta						9
8	Spinal Tract	Umb. Circ.			Low. Limb.B Up. Limb.B		Amnion	8
53	Rhomb. Enc. Cav.	Vit. Circ.					Umb. Cord Trunk Bud. Heart Beat Embr. Pol.	7
6							Yolk Sac	6
5							Gest. Sac.	5
0								C
Wks								Wks

FIG. 3



4 / 5  
OBSERVATIONS ON THE ULTRASONOGRAPHICALLY  
DETECTABLE ONSET OF FETAL ANOMALIES  
ORGANS(0-40 WEEKS, MENSTRUATION)

	65				74	74	74
	CNS	CARD/VASC THORAX	URINARY/ ADRENAL/ GENITALIA	GASTROIN- TEST/ ABDOMINAL WALL	SKELETAL DYSPLASIAS	NOSE EAR/FACE EYE/NECK	UMB. CORD/ AMNION/ YOLK SAC/ PLACENTA/ MSC.
40 Wks							40 Wks
68		Pulmonary Hematoma Agenesis of Vena Cava Aortic Stenosis Endocardial Fibroelastosis TGA/Corrected Double Out Rt. Vc Coarctation of Aorta Mitral Abn.	Absent Genitalia Adrenal Hypoplasia Double Collect Syst	Gallbladder Dysmorph Gallbladder Agenesis Pancreatic Cyst Solid Liver Tumor Double Gallbladder	Facemask Adactyly Talipes Equinovarus Arthrogriposis Rockerbottom Foot Clubhand		
15	Hydrocephalus LV Herniat. of Mening	Hypoplastic Lt Heart Ventric. Septal Def Hypopl. Ascend. Aorta Coronomegaly	UPJ Obstruction		Osteogen Imperf2 Larsen Syndrome	Cleft Lip and Palate	
14	Chor. Pl Dysmorph Malpropr/Labor	Axillar Hydruma Septal Calcifications Calcifications	Epispadia Hypospadia Mandib. Renal Agenesis	Mesenteric Cyst Hepatomegaly Diaphragm Hernia/Stom	Caudal Regr. Synd. Sirenomelia Amelia (inferior) Amelia (superior) Camptodactyly Hemivertebra Clenched Fingers	Cranial Hemangioma Microphthalmia Catharact	Amn. Band Syndr Plac. Hypertrophy Velamentous Insert Single Umbil Artery
13	Spina Bifida/Closed Meningocele/enceph Iniencephaly	Situs Inversus Tetralogy of Fallot	Prune Belly Synd Bilateral Renal Agenesis MCKD Hyperecho. Dyst. Kidney	Echogenic Bowel Omphalocele/BilLHeart Intrahep. Cholest. Cyst Omphalocele/Bowel	Thoracophagus Hypophosphatasia Scoliosis	Anophthalmia Aniridia Medial Cleft Lip Low Set Ears Micrognathia	Skin Tumor Arachnoid Monster Sacro Cog Terat TRAP Mult. Pteryg. Synd
12	Dilated CSPV Central Encephalocele Malpropr/Alabar Encephalocele/Frontal Hydrocephalus JV	Agenesis of Aorta (12) Ectocardia (12wks) Truncus Ar. (12wks) Peric. Myo Uter. Dis (12)	Pelvic Kidney Horseshoe Kidney	Folding Defect Urachal Cyst Liver Calcifications Omphalocele/BilL Esoph At	Achondro II Clubfoot Dysost. Dwarf	Prognathia Cyclopia	
71	Anencephaly Spina Bifida/Open Meningocele/encephalocele	Single Ventricle A-V Canal Common Atrium Complete Heart Block A-V Valve Regurgital	Post Urethral Valve Renal Cyst Hydronephrosis	Gastroesophagus	Omphalocephalus Polydactyly	Hypotatarism	Partial Mole Plac. Cyst
11	Dandy-Walker Mal Encephalocele/Occip Trigonoccephaly	Tubular COA Eosin Anomaly Dysplasia Pentology or Contrell	IPKD	Omphalocele/Liver	Jarcho Levine Syndr. Syndactyly		
10	Malpropr/Semiotob Hydronephrosis	Thoracic Hydruma Pericardial Effusion			Scoliosis		
9	Acrania Intracranial Tumor Choroid Plexus Cyst	Pleural Eff			Achondro I	Epignathus Cystic Hydruma Cervical Lymphedema	Plac. Chorioaroma
8							Alantoid Cyst Hydrops
7		Tachyarrh.			Omphalocephalus		Large YS
0 Wks							

FIG. 4






FIG. 5




FIG. 6



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/04127**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G06C 27/00,3/00

US CL : 235/77,78RC,88RC

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 235/77,78RC,88RC

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2,418,207 A (TILLBROOK) 01 April 1947, drawings show similar structure and construction but have different information displayed. See Cols. 2-5	1-13
A	US 4,625,099 A (FREEDOM) 25 November 1986, see entire document.	1-13
A	US 4,752,674 A (ROSENWAKS) 21 June 1988, See entire document.	1-13



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*G\*

document member of the same patent family

Date of the actual completion of the international search

21 MAY 1997

Date of mailing of the international search report

13 AUG 1997

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks

Box PCT

Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

SAM JONES

Telephone No. (703) 308-1111